

New to SCM

Low Blood Pressure on Sepsis Patient Alert

Beginning August 23rd Nurses, ECTs, and PCAs will receive an alert when documenting **Low Systolic Blood Pressure** or **Low Mean Arterial Pressure** on a Sepsis Protocol patient.

In addition to Low BP or MAP, the patient must have one of the following *active Sepsis Order Sets* entered in the past **24hrs**:

- Sepsis Order Set - Critical Care Bed Placement.
- Sepsis Order Set - Med/Surg/Telemetry Bed Placement.
- Sepsis Order Set - Sub-Level Bed Placement.
- ED Sepsis

The Alert “This patient is on the Sepsis Protocol” will trigger when:

- Systolic BP < 90 or MAP < 65 is documented and the *Vital Signs Flowsheet* is **SAVED**.

Alert Detail - TESTSEPSIS, TESTED - Save Flowsheet

Alert Summary

Ackno...	Vi...	D...	Alert	Priority	Type	Comment	Scope
✓	✓		Low BP on Sepsis Patient	HIGH	WARNING	!	Chart

Alert: Low BP on Sepsis Patient

Message:

[Expand](#)

This patient is on the sepsis protocol.
SBP less than 90 or MAP less than 65 requires additional treatment with fluids or vasopressors.
Please ensure you have charted the blood pressure accurately and comment below.

Acknowledgement Comment:

MD Notified
 RN Notified
 Complete Orders Per Sepsis Protocol

! A comment must be added before clicking Proceed.

Acknowledge when seen
 Acknowledge all on Proceed

Unacknowledge << Previous

To continue with the Save Flowsheet unchanged click Proceed.
To return to the Save Flowsheet and discard alerts click Go Back.